

In the Claims.

The claims are unamended, as follows:

1. (original) A method of storing a file and information related to the file and not contained in the file, comprising:

receiving information to be contained in the file in a
5 web authoring tool;

receiving in the web authoring tool the information related to the file and not contained in the file;

storing the file responsive to the information to be contained in the file received; and

10 storing in a shadow file, different from the file the information related to the file and not contained in the file .

2. (original) The method of claim 1 wherein the information related to the file is stored in the shadow file using at least one XML tag.

3. (original) The method of claim 1 wherein the file comprises HTML code.

4. (original) The method of claim 1 additionally comprising:

receiving a request to open the file; and

automatically displaying at least a portion of the
5 information related to the file in the shadow file
responsive to the request.

5. (original) The method of claim 1 additionally
comprising:

receiving a request to move the file to a destination;
and

5 automatically moving at least a portion of the shadow
file to the destination responsive to the request.

6. (original) The method of claim 1 wherein the shadow
file comprises a name corresponding to a name of the file.

7. (original) The method of claim 6 wherein the shadow
file name comprises the file name.

8. (original) The method of claim 1 wherein the web
authoring tool comprises at least a portion of Adobe
GoLive.

9. (original) A method of retrieving a file comprising
HTML and having a filename, the method comprising:

retrieving the file; and

retrieving a shadow file having a filename comprising
5 the filename of the file and containing information about
the file.

10. (original) The method of claim 9 wherein the filename of the shadow file comprises an extension beginning with "m".

11. (original) A system for storing a file and information related to the file and not contained in the file, comprising:

at least one editor having an input operatively
5 coupled for receiving information to be contained in the file, the at least one editor for providing at an output a user interface for receiving said information and for providing said information at the at least one editor output;

10 a shadow file keys/values manager having an input operatively coupled for receiving in the web authoring tool the information related to the file and not contained in the file, the shadow file keys/values manager providing at an output a user interface for receiving said information
15 related to the file and not contained in the file and for providing at the shadow file keys/values manager output said information related to the file and not contained in the file ;

a file builder having an input coupled to the at least
20 one editor output, the file builder for building the file

responsive to the information received at the file builder input and for storing the file via an output; and

a shadow file builder having an input coupled to the shadow file keys/values manager for receiving the
25 information related to the file and not contained in the file, the shadow file builder for building a shadow file responsive to said information related to the file and not contained in the file and for storing in said shadow file, different from the file, via an output.

12. (original) The system of claim 11 wherein shadow file builder builds the shadow file using at least one XML tag.

13. (original) The system of claim 11 wherein the file comprises HTML code.

14. (original) The system of claim 11 additionally comprising:

a file manager having an input operatively coupled for receiving a request to open the file, the file manager for,
5 via an input/output, opening the file responsive to the request and for providing at an output a signal to display a shadow file; and

wherein the shadow file keys/values manager additionally has a signal input coupled to the file manager

10 signal output for receiving the signal, the shadow file
keys/values manager additionally for automatically
displaying via the shadow file keys/values manager output
at least a portion of the information related to the file
in the shadow file responsive to the request.

15. (original) The system of claim 11 additionally
comprising a file manager having an input operatively
coupled for receiving a request to move the file to a
destination, the file manager for automatically moving via
5 an input/output at least a portion of the shadow file to
the destination responsive to the request.

16. (original) The system of claim 11 wherein the
shadow file comprises a name corresponding to a name of the
file.

17. (original) The system of claim 16 wherein the
shadow file name comprises the file name.

18. (original) The system of claim 11 wherein the at
least one editor comprises at least a portion of Adobe
GoLive.

19. (original) A system for retrieving a file
comprising HTML and having a filename, the system
comprising a file manager having a input operatively
coupled for receiving an identifier of the file, the file

5 manager for, responsive to the identifier of the file
received at the input retrieving via an input/output the
file and a shadow file having a filename comprising the
filename of the file and containing information about the
file.

20. (original) The system of claim 19 wherein the
filename of the shadow file comprises an extension
beginning with "m".

21. (original) A computer program product comprising a
computer useable medium having computer readable program
code embodied therein for storing a file and information
related to the file and not contained in the file, the
5 computer program product comprising computer readable
program code devices configured to cause a computer to:

receive information to be contained in the file in a
web authoring tool;

receive in the web authoring tool the information
10 related to the file and not contained in the file;

store the file responsive to the information to be
contained in the file received; and

store in a shadow file, different from the file, the
information related to the file and not contained in the
15 file.

22. (original) The computer program product of claim 21 wherein the information related to the file is stored in the shadow file using at least one XML tag.

23. (original) The computer program product of claim 21 wherein the file comprises HTML code.

24. (original) The computer program product of claim 21 additionally comprising computer readable program code devices configured to cause the computer to:

receive a request to open the file; and

5 automatically display at least a portion of the information related to the file in the shadow file responsive to the request.

25. (original) The computer program product of claim 21 additionally comprising computer readable program code devices configured to cause the computer to:

receive a request to move the file to a destination;

5 and

automatically move at least a portion of the shadow file to the destination responsive to the request.

26. (original) The computer program product of claim 21 wherein the shadow file comprises a name corresponding to a name of the file.

27. (original) The computer program product of claim
26 wherein the shadow file name comprises the file name.

28. (original) The computer program product of claim
21 wherein the web authoring tool comprises at least a
portion of Adobe GoLive.

29. (original) A computer program product comprising a
computer useable medium having computer readable program
code embodied therein for retrieving a file comprising HTML
and having a filename, the computer program product
5 comprising computer readable program code devices
configured to cause a computer to:

retrieve the file; and

retrieve a shadow file having a filename comprising
the filename of the file and containing information about
10 the file.

30. (original) The computer program product of claim
29 wherein the filename of the shadow file comprises an
extension beginning with "m".